Anatomy Lecture Outline Section 1: Tissue Membranes in the Body

Tissue Membranes

Within the body there are many structures called **membranes**. In terms of naming the various membranes in the body, it is necessary to recognize the specific tissues involved, the function of it as a structure, and the location of the membrane in the body. The focus in these notes is the epithelial tissue membranes.

In general, tissue membranes are usually made up of thin layers of cellular tissue that cover exposed body surfaces, line internal body cavities, or cover organs within the cavities in hollow organs. Tissue membranes can be categorized into **epithelial** and **connective** tissue membranes.

The 3 types of Epithelial Membranes:

- 1) Mucous membranes These membranes line the body passageways or tracts that are exposed to the outside environment. They are "wet" membranes, having a mucus secretion for protection and hydration.
- **2)** Serous membranes These line internal body cavities that are <u>not</u> open to the external environment. They are also a "wet" membrane, having a serous (watery) secretion for the main purpose of reducing friction between two surfaces that are constantly moving across each other.
- **3)** Cutaneous membranes This covers the entire outermost surface of the body. It is the only "dry" membrane encountered in the body and an important role is the prevention of water loss from the body. It is also a physical barrier and protective to deeper tissues. This membrane is also called the skin.

Epithelial Membranes

Epithelial membranes consist of **epithelial tissue** (on the top or at the exposed or apical end), and **connective tissue**, to which it is attached by way of the basement membrane. There are two "wet" types of epithelial membranes, called mucous membranes and serous membranes. There is also a "dry" epithelial membrane called the cutaneous membrane. They all follow the basic pattern below:

<u>Epithelial Tissue</u> Connective Tissue

All of the epithelial membranes will have some type of epithelial tissue on the top (like the formula above), and the supporting connective tissue immediately deep to it. Now let's look at the specific details for each of the three types of epithelial membranes.

1. Mucous Membranes


Mucous membranes are epithelial membranes that consist of epithelial tissue that is attached to an underlying loose connective tissue. There is often a third layer to the mucous membrane it is made out of smooth muscle is called the 'Muscularis Mucosae'.

These membranes, sometimes called *mucosae*, line the body cavities that technically are <u>directly open</u> to the outside. This includes the entire **digestive** (gastrointestinal) tract - it is all lined with mucous membranes. Other examples of where mucous membranes are found in the body include the **respiratory** tract, the urinary tract, and the male and female reproductive tracts.


The function of the mucous membrane can vary, but its roles include:

- **Protection** of the deeper tissues and the entire body. *Usually has *stratified* epithelium.
- **Absorption** of substances across the membrane. *Usually has *simple* epithelium.
- Secretion of substances for various purposes in the body.

Examples of Mucous Membranes



The above drawing shows a classic type of mucous membrane found in many regions of the body. The epithelial portion of the membrane is **simple** (only one cell layer thick) columnar (it's taller than it is wide). If the epithelial portion is simple, it usually means that a primary role of this membrane is absorption, as one cell layer is much easier to get across than multiple cell layers. The **columnar** cells give more protection and is found in the stomach, small and large intestines for example. Absorption is a role, but so is protection. Other mucous membranes with shorter cells like a **cuboidal** or **squamous** cells are for fast absorption and can be found in the respiratory tract where rapid gas exchange becomes vital.




Here is another example of a mucous membrane, now epithelial portion of the membrane is stratified (many cell layers thick) squamous (very flat at the apical end). Thus its main function is **protection**. This type of mucous membrane is found in the **oral cavity** (mouth), **esophagus**, anal canal and the **vaginal canal**. Mucus, produced by the epithelial exocrine glands, covers the epithelial layer. The underlying connective tissue, called the **lamina propria**, (meaning layer of my own) which helps support and nourish

the avascular epithelial tissue. The deepest **muscularis mucosae**, which is composed of two very thin layers of smooth muscle orientated perpendicular to each other, helps to provide limited local movement of the tissue in specific regional areas.

2. Serous Membranes

Serous membranes line body cavities that <u>do not open directly to the outside environment</u>. These membranes **line internal body cavities** and they also **cover the organs located in those cavities**. Serous membranes are wet or moist membranes and are always covered on their surface by a thin layer of thin **serous fluid** which is watery and slippery, that is secreted by the epithelium of the membrane.


All serous membranes secrete serous fluid and this thin watery fluid **lubricates** the membrane surface and **reduces friction** and **abrasions** when the organs (**viscera**) that are covered by them move across the surface of the walls (**parietal**) that are directly surrounding them.



The serous membrane in the drawing above is composed of epithelium which is *always* **simple squamous** epithelium attached to a thin layer of connective tissue, which is *always* **areolar connective tissue**. Any serous membrane will always have two parts: One is covering the outermost surface of the organ, and is call the **visceral layer**. The other is covering the inner lining of the bag or the cavity, and it is called the **parietal layer**.

Serous membranes have special names given to them according to their location, meaning which cavity they are in, and also for which of the two surfaces they are covering – the organ = visceral, or the wall = parietal.

For example, within the thoracic cavity there are other cavities, such as the pericardial cavity (meaning



around 'peri', the heart 'cardium'). The pericardial cavity contains the heart. As seen in the drawing below, the outer most surface of the heart (which is an organ!) has a serous membrane, labeled 1) that is the visceral pericardium. The pericardial sac is the bag (or wall) around the heart also has a serous membrane on its inner surface labeled 2) that is the parietal pericardium.

Here are the other examples of serous membranes:

There are the two pleural cavities which each contain one lung. The outermost surface of the lung is called **visceral pleura**, and


the inner surface of the bag around it is called the **parietal pleural**. In the abdominopelvic cavity, all of the organs there move against each other in the peritoneal cavity. The outermost surface of those organs is called the **visceral peritoneum** and the 'wall' of that cavity is called the **parietal peritoneum**.

3. Cutaneous Membrane

The layers of the skin that constitutes the cutaneous membrane are the **epidermis**, which is the outer layer composed of the epithelial tissues, and the **dermis**, which is the inner layer composed of two types of connective tissues.

One of the primary roles of this membrane is to help **protect** the rest of the body's tissues and organs from physical damage such as abrasions, chemicals and harsh temperature changes.





As seen in the drawing above, the cutaneous membrane is compose of a **stratified squamous epithelial tissue** (that is keratinized or dry) sitting upon first **areolar connective tissue** (the superficial connective tissue layer) and then **dense irregular connective tissue** (the deeper connective tissue). In the cutaneous membrane, the epithelial tissue is called the **epidermis**, and the entire connective tissue is called the **dermis**. Deep to the dermis is the **hypodermis** layer, and this is not technically considered a part of the cutaneous membrane. The hypodermis, which consists mostly of adipose (fat) tissue, is also a type of fasciae, it is called **superficial fascia**, which gives support to the cutaneous membrane above it.

Cutaneous is from the Latin 'cutis' which means 'of the skin'. This membrane, also called the **skin**, has an important role in protection of the body against trauma and also prevents excessive water loss. It has many other functions which will be covered in depth in the lecture notes for the **Integumentary System** that it is a central part of. Briefly the skin provides effective insulation, temperature regulation, provides sensory input (sensations), and the epidermis of the cutaneous membrane initiates the synthesis of vitamin D.